




Environmental Factors
Nutrients




K. Raja Reddy
Kreddy@pss.msstate.edu

Environmental and Cultural Factors Limiting Potential Yields

- Atmospheric Carbon Dioxide
- Temperature (Extremes)
- Solar Radiation
- Water
- Wind
- Nutrients (N and K)
- Others, ozone etc.,
- Growth Regulators (PIX)




Nutrients - Objectives


The objectives of this lecture are to:

- Learn temporal trends in fertilizer usage (Major nutrients).
- Influence of major nutrients on plant growth and development.

Major Nutrients Trends and some Statistics




Trends in U.S. Commercial Fertilizer Use (Nitrogen, Potash and Phosphate)



Trends in U.S. Total Commercial Fertilizer Use (Primary, Secondary and Micronutrients)

Commercial fertilizer use depends on variety of factors:

- > Soil
- > Climate and weather
- > Feasible technology
- > Crop mix
- > Crop rotations
- > Technological change
- > Govt. programs
- > Commodity and fertilizer prices
- > Affordability



Major Nutrients and Their Influences

Nutrient Supply and Plant Growth




Fig. 12.1 Relationship between nutrient supply and growth.

Nitrogen Supply and Plant Growth




Fig. 8.16 Schematic representation of the effect of increasing levels of nitrogen supply roots during early growth stages on the root and shoot growth of cereal plants.

Nitrogen and Crop Yield





Figure 5.25 Response curve showing diminishing increments.

Question:

- Do processes within a crop vary in their response to nutrients?


Nitrogen and Cotton Growth and Development

Leaf developmental response to N and elevated CO₂





Nitrogen and Crop Growth and Development


Leaf growth response to N and elevated CO₂



Cotton leaf area at leaf unfolding



Caster mature leaf sizes




✓ N treatments were imposed when leaf 5 was just unfolding

Nitrogen and Crop Growth and Development


Cotton leaf growth response to N and elevated CO₂

RLER = Relative Leaf Expansion Rate




Nitrogen and Cotton Growth and Development

Stem elongation response to N and elevated CO₂




Nitrogen and Cotton Growth and Development

Stem Elongation Rate Response to N and elevated CO₂




Nitrogen and Cotton Growth and Development

Leaf photosynthetic response to N and elevated CO₂




Nitrogen and Cotton Growth and Development

Relative Rates of Photosynthesis



Can we use one function for all processes in a given crop?

Functional relationships – cotton for growth and developmental processes




Questions:

- Do species vary in their response to nutrients?
- How about functional groups such as C₃ versus C₄?
- Is there a difference between the functional groups in their response to nutrients?


Can we apply cotton algorithms for other crops?

N and Photosynthesis – Functional Groups




Can we apply cotton algorithms for other crops?

N and Photosynthesis – Several Crops




Can we apply cotton algorithms for other crops?

N and Photosynthesis – Several Crops




Photosynthesis - Variability Among Species
Response to Leaf Nitrogen




Can we apply cotton algorithms for other crops?

N and several crops – Stem elongation rates



Can we apply cotton algorithms for other crops?


N and several crops – Leaf area expansion rates



Summary and Conclusions Nitrogen Responses across Species and Processes


- Functional algorithms varied among crop species and even among crop species within a functional physiological group such as C₃ or C₄ species.
- Functional algorithms varied among crop processes for a given species.
- Among the growth, developmental and physiological processes, leaf growth was more responsive to leaf N than other processes in almost all crops.
- N also affects cell division and cell elongation process leading to a cascade of effects on several processes in plants, and finally yield.

Potassium Supply and Plant Growth




7 Effect of potassium supply on grain yield of wetland rice and incidence of stem rot (*thiosporium stigmoidum*). Basal dressing of nitrogen and phosphorus constant at 120 and 60 kg ha⁻¹, respectively. (Based on Ismunadjii, 1976.)

Potassium Supply and Plant Growth




8 Severity of leaf spot disease (*Helminthosporium cynodontis*) and dry matter yield in bermudagrass (*Cynodon dactylon* L. Pers.) versus leaf potassium content. (Reproduced in Matocha and Smith, 1980, by permission of the American Society of Agronomy.)

Potassium – Cotton Growth




Visual Symptoms and leaf K, %

Potassium and Cotton Growth and Development



Photosynthesis and Environment

Response to phosphorus – Sub-to supra-optimal supply of Pi



Summary and Conclusions

Nutrient Responses across Species and Processes

- Functional algorithms or responses varied among crop species.
- Functional algorithms varied among crop processes for a given species.
- Similar to N effects, among the growth, developmental and physiological processes, leaf growth was more responsive to leaf K.
- The effects of P on various processes are less quantified to arrive a conclusion.